## IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Original): An allergen-reducing agent comprising water and a water-soluble polymer compound having units having hydroxy or carboxy groups wherein at least a part of hydrogen atoms of the hydroxy or carboxy groups are substituted by groups represented by the following formula (1):

$$-R^{1a}$$
- $(OR^{1b})_p$ - $A$ - $R^{1c}$  (1)

wherein R<sup>1a</sup> is a C1 to C6 alkylene group which may be substituted with a hydroxy or oxo group, R<sup>1b</sup> is a C1 to C6 alkylene group, R<sup>1c</sup> is a group selected from the group consisting of a C4 to C30 hydrocarbon group which may be substituted with a hydroxy group, a C1 to C5 sulfoalkyl group which may be substituted with a hydroxy group, and a hydrocarbon group which has a steroid skeleton, A is a group selected from the group consisting of -O-, -OCO- and -COO-, p is 0 to 50 (average number of moles added), and (OR<sup>1b</sup>) moles whose number is p may be the same or different.

Claim 2 (Original): The allergen-reducing agent according to claim 1, wherein the water-soluble compound comprises monomer units (a1) and (a2) represented by the following formulae (2) and (3), respectively, a molar ratio of (a1)/(a2) is 1/1500 to 30/100 and a ratio of (a1) and (a2) in total in the molecule is 50 to 100 mol%:

$$\begin{array}{c|cccc}
R^{2a} & R^{2c} \\
 & | & | \\
 & C & C \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 & | & | \\
 &$$

2

wherein R<sup>2a</sup> is a hydrogen atom or a C1 to C3 alkyl group, R<sup>2b</sup> is a group selected from a hydrogen atom and –COOM, M being a hydrogen atom, an alkali metal atom or an alkaline earth metal atom, R<sup>2c</sup> is a group selected from a hydrogen atom, a C1 to C3 alkyl group and a hydroxy group, R<sup>2d</sup> is a C1 to C6 alkylene group which may be substituted with a hydroxy group, R<sup>2e</sup> is a C1 to C6 alkylene group, R<sup>2f</sup> is a C4 to C30 hydrocarbon group which may be substituted with a hydroxy group, B is a group selected from –O–, –COO–, –OCO– and –CONR<sup>2g</sup>–, R<sup>2g</sup> being a hydrogen atom, a C1 to C3 alkyl group or a C1 to C3 hydroxyalkyl group, E is a group selected from –O–, –OCO– and –COO–, q is 0 to 50 (average number of moles added), and (OR<sup>2e</sup>) moles whose number is q may be the same or different;

$$\begin{array}{c|cccc}
R^{3a} & R^{3c} \\
C & C \\
R^{3b} & G
\end{array}$$
(3)

wherein R<sup>3a</sup> is a hydrogen atom or a C1 to C3 alkyl group, R<sup>3b</sup> is a group selected from a hydrogen atom and –COOM, M being a hydrogen atom, an alkali metal atom or an alkaline earth metal atom, R<sup>3c</sup> is a group selected from a hydrogen atom, a C1 to C3 alkyl group and a hydroxy group, G is –COOM, –OH, –T–(R<sup>3d</sup>O)<sub>c</sub>–H, –CON(R<sup>3e</sup>)(R<sup>3f</sup>), –COO–R<sup>3g</sup>–N<sup>+</sup>(R<sup>3h</sup>)(R<sup>3i</sup>)(R<sup>3i</sup>)·X<sup>-</sup>, –COO–R<sup>3g</sup>–N(R<sup>3h</sup>)(R<sup>3i</sup>), –CON(R<sup>3e</sup>)–R<sup>3g</sup>–N<sup>+</sup>(R<sup>3h</sup>)(R<sup>3i</sup>)(R<sup>3j</sup>)·X<sup>-</sup>, –CON(R<sup>3e</sup>)–R<sup>3g</sup>–N(R<sup>3h</sup>)(R<sup>3j</sup>) or a 5- or 6-memberred heterocyclic group having at least one amino or amide group in the ring, M is a hydrogen atom, an alkali metal atom or an alkaline earth metal atom, T is a group selected from –O– and –COO–, R<sup>3d</sup> is a C1 to C6 alkylene group, R<sup>3e</sup>, R<sup>3f</sup>, R<sup>3h</sup>, R<sup>3i</sup> and R<sup>3j</sup> each represent a hydrogen atom, a C1 to C3 alkyl group or a C1 to C3 hydroxyalkyl group, R<sup>3g</sup> is a C1 to C5 alkylene group, X<sup>-</sup> represents an organic or

## 290082US0PCT Preliminary Amendment

inorganic anionic group, c is 0 to 50 (average number of moles added) and (R<sup>3d</sup>O) moles whose number is c may be the same or different.

Claim 3 (Original): The allergen-reducing agent according to claim 1, wherein the water-soluble polymer compound comprises unit (a3) of the following formula (4) and/or the following formula (5) and unit (a4) of the following formula (6) and/or the following formula (7), a molar ratio of (a4)/(a3) is 1/1500 to 30/100 a ratio of (a3) and (a4) in total in the molecule is 50 to 100 mol%:

$$\begin{array}{c|c}
- CH_2CHCH_2O \\
OH
\end{array}$$
(4)

$$\begin{array}{c|c}
\hline CH_2CH-O \\
\hline CH_2OH
\end{array}$$
(5)

$$\begin{array}{c|c}
- & CH_2CHCH_2O \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
&$$

$$\begin{array}{c|c}
\hline \text{CH}_{2}\text{CH} - \text{O} & & & \\
\text{CH}_{2}\text{-M} - \text{R}^{7a} - (\text{OR}^{7b})_{s} - \text{Q} - \text{R}^{7c}
\end{array}$$
(7)

wherein J and M are a group selected from -O, -OCO and -COO,  $R^{6a}$  and  $R^{7a}$  are a C1 to C6 alkylene group,  $R^{6c}$  and  $R^{7c}$  are a C4 to C30 hydrocarbon group which may be substituted with a hydroxy group, L and Q are a group selected from -O, -OCO and -COO, and r and s are 0 to 50 (average number of moles added), and  $(OR^{6b})$  moles whose number is r or  $(OR^{7b})$  moles whose number is s may be the same or different.

290082US0PCT Preliminary Amendment

Claim 4 (Currently Amended): An allergen-reducing agent contained in a spray container, which comprises the allergen-reducing agent of any of claims 1 to 3 claim 1 or 2 introduced into a container provided with a spray device.

Claim 5 (Currently Amended): An allergen-reducing sheet comprising a flexible sheet impregnated with the allergen-reducing agent of any of claims 1 to 3 claim 1 or 2.

Claim 6 (Currently Amended): A method of reducing allergen, which comprises spraying the allergen-reducing agent of any of claims 1 to 3 claim 1 into space.

Claim 7 (Original): The method according to claim 6, wherein the polymer compound is cellulose, starch or a derivative thereof.

Claim 8 (Currently Amended): A method of reducing allergen, which comprises spraying or applying the allergen-reducing agent of any of claims 1 to 3 claim 1 onto the surface of an object and then wiping it off with a water-absorbing article before drying.

Claim 9 (Original): A cleaning method which comprises cleaning by vacuuming or sweeping cleaning after carrying out the method of claim 7.

Claim 10 (Currently Amended): A cleaning method which comprises wiping the surface of an object with an allergen-reducing sheet having a flexible sheet impregnated with the allergen-reducing agent of any of claims 1 to 3 claim 1 and cleaning by vacuuming or sweeping cleaning.

## 290082US0PCT Preliminary Amendment

Claim 11 (Currently Amended): The method according to any of claims 8 to 10 claim 8 or 10, wherein the polymer compound is cellulose, starch or a derivative thereof.